




WEEKLY HARVEST REPORT – June 24, 2026

HRW harvest is 49% complete with 217 samples in the lab for testing. SRW harvest is 45% complete and continues ahead of average. SW winter wheat is nearly fully headed in the Pacific Northwest as harvest begins in Oregon. HRS and Northern Durum crops continue to develop under mixed but generally favorable conditions supported by scattered precipitation in parts of the Northern Plains.

Estimated Percent of Sample Crop Harvested to Date
(data: NASS Weekly Crop Progress Reports and industry sources)



HARD RED WINTER

Crop progress: HRW harvest is 49% complete, well ahead of last year's 11% and the 5-year average of 19%. Texas is 77% harvested, Oklahoma 95%, Kansas 58% and Colorado 13%. Harvest is nearing completion in the Southern Plains, while the northern HRW crop is still developing. Severe storms moved across parts of Oklahoma and Kansas, slowing harvest progress. Some received 7 to 10 inches (178 to 254 mm) of rain over the last 7 to 10 days. Still, both states are significantly ahead of schedule due to drought stress and late freezes that accelerated crop maturity.

Crop conditions: HRW conditions remain variable across the growing region, with USDA rating the crop 20% good to excellent. Wet weather during harvest has lowered test weights in some areas and contributed to quality concerns in Texas, where about 30% of the crop is expected not to be harvested. In Oklahoma, test weights have declined in areas that received heavy moisture; statewide protein is expected to average 12.5% to 13.0% (12% mb). In Colorado, continued drought and freeze damage could push abandonment to 40%.

Data: There are 217 samples from Texas, Oklahoma and Kansas in the lab. Current test weight average is 59.9 lb/bu (78.8 kg/hl), with 11.6% moisture, 12.3% protein (12% mb), 1000 kernel weight of 28.3 grams, falling number of 345 seconds and 1.49% wheat ash. Additional data will be available next week.

Disease/pest pressure: Isolated weed, disease and pest pressures have been reported, but disease pressure remains low in drier areas.

Weather: Severe storms brought strong wind, hail and heavy rain to parts of Kansas and Oklahoma. Scattered storms are forecast through the week, followed by drier conditions and warmer temperatures.

HRW: WHEAT DATA									GRADE FACTORS						
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %
	Tested	Expected								lb/bu	kg/hl				
2025 Final	566	500	11.5	12.1	13.7	0.5	30.1	370	1 HRW	60.0	79.0	0.1	0.1	0.8	0.9
5-year Avg	538	500	10.9	12.3	13.9	0.5	30.7	362	1 HRW	61.0	80.2	0.1	0.3	1.0	1.4

Note: Crop progress data are drawn from USDA's weekly Crop Progress report and reflect the major producing states reported for each class. HRW averages in the weekly harvest report are simple averages and have not been weighted for production. Results shown represent tested samples collected to date. Data and commentary are on the following sampled states only: CO, ID, KS, MT, NE, OK, OR, SD, TX, WA, WY. Table data source: Great Plains Analytical Laboratory.

SOFT RED WINTER

Crop progress: SRW harvest is 45% complete, ahead of last year and the 5-year average. Illinois is 41% harvested, up from 20% last week, while Maryland is 9% harvested. Harvest is wrapping up in southern Illinois but remains delayed in parts of Ohio and northern Illinois due to recent rainfall. Harvest is expected to begin in northern Ohio the first week of July.

Crop conditions: Conditions are variable across the SRW region but holding steady. The SRW crop is rated 58% good to excellent. Illinois, Indiana and Missouri remain the strongest rated states, while Maryland and North Carolina remain stressed by dry conditions. Maryland production is expected to be below average due to long-standing drought and late freeze damage. Moisture stress in parts of the eastern SRW belt could affect yield potential and quality as harvest continues.

Data: There are 78 samples in the lab for testing. Current test weight average is 60.3 lb/bu (79.4 kg/hl), with 12.9% moisture, 10.5% protein (12% mb), 1000 kernel weight of 33.5 grams, falling number of 303 seconds and 1.36% wheat ash. Additional data will be available next week.

Disease/pest pressure: No major disease or pest issues have been reported.

Weather: Moderate temperatures are expected this week, with warmer conditions developing next week.

SRW: WHEAT DATA									GRADE FACTORS						
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %
	Tested	Expected								lb/bu	kg/hl				
2025 Final	219	250	12.8	9.3	10.5	0.5	32.9	301	2 SRW	59.0	77.7	0.2	1.2	0.9	2.3
5-year Avg	235	250	13.1	9.5	10.8	0.3	34.0	316	2 SRW	59.8	78.7	0.1	0.3	0.6	1.0

Note: Crop progress data are drawn from USDA's weekly Crop Progress report and reflect the major producing states reported for each class. SRW averages in the weekly harvest report are simple averages and have not been weighted for production. Results shown represent tested samples collected to date. Data and commentary are on the following sampled states only: AL, AR, IL, IN, KY, MD, MO, NC, OH, TN, VA. Table data source: Great Plains Analytical Laboratory.

SOFT WHITE

Crop progress: SW winter wheat is 99% headed and spring SW is 64% headed. Harvest is beginning in early-harvesting areas of Oregon and is expected to start in the next two weeks in warmer, lower-elevation areas of Idaho.

Crop conditions: SW conditions remain mostly favorable in the PNW. Idaho winter wheat is rated 79% good to excellent, Washington winter wheat 65% and Oregon winter wheat 33%. Spring wheat conditions are also favorable, with Idaho at 75% good to excellent and Washington at 61%. Overall, an average to above-average crop is expected.

Disease/pest pressure: No major disease or pest issues have been reported.

Weather: Hot, dry conditions returned across much of the Pacific Northwest. Precipitation is forecast in Idaho, with high temperatures and strong winds also reported.

SW: WHEAT DATA									GRADE FACTORS						
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %
	Tested	Expected								lb/bu	kg/hl				
2025 Final	449	400	9.3	9.9	11.2	0.4	37.8	317	1 SW	61.2	80.5	0.1	0.0	0.6	0.7
5-year Avg	421	400	9.0	10.2	11.5	0.5	33.6	336	1 SW	60.7	79.8	0.1	0.0	0.6	0.7

Note: Crop progress data are drawn from USDA's weekly Crop Progress report and reflect the major producing states reported for each class. SW averages in the weekly harvest report are simple averages and have not been weighted for production. Results shown represent tested samples collected to date. Data and commentary are on the following sampled states only: ID, OR, WA. Table data source: Wheat Marketing Center.

HARD RED SPRING

Crop progress: The U.S. HRS crop is 16% headed. Heading is most advanced in South Dakota, Washington and Idaho, while Minnesota, Montana and North Dakota remain earlier in development.

Crop conditions: The HRS crop is rated 54% good to excellent. Minnesota conditions remain strong and recent rainfall is supporting the crop during grain fill in parts of the northern Plains. Cooler weather has benefited crop development in South Dakota, where conditions are average to above average.

Disease/pest pressure: No major disease or pest issues have been reported.

Weather: Cooler temperatures and scattered showers have supported HRS development in Minnesota and North Dakota. Western Montana remains dry, while additional precipitation is forecast for parts of the northern Plains.

HRS: WHEAT DATA								GRADE FACTORS								
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %	DHV %
	Tested	Expected								lb/bu	kg/hl					
2025 Final	448	450	12.2	14.4	16.3	0.6	33.9	404	1 NS	61.6	81.0	0.0	0.3	0.5	0.9	62
5-year Avg	452	450	11.9	14.5	16.4	0.6	31.5	386	1 NS	61.5	80.9	0.0	0.3	0.9	1.2	69

Note: Crop progress data are drawn from USDA's weekly Crop Progress report and reflect the major producing states reported for each class. HRS averages in the weekly harvest report are simple averages and have not been weighted for production. Results shown represent tested samples collected to date. Data and commentary are on the following sampled states only: MN, MT, ND, SD. Table data source: North Dakota State University, Hard Red Spring Wheat Quality Laboratory.

NORTHERN DURUM

Crop progress: Northern durum emergence is complete in North Dakota and nearly complete in Montana. Heading is just beginning, with North Dakota at 2% headed.

Crop conditions: Durum conditions remain generally favorable but mixed. North Dakota is rated 74% good to excellent, down from last week, while Montana improved to 14%. Western Montana and eastern North Dakota remain dry, but recent precipitation has provided some relief. Since June 1, some areas have received 1 to 3 inches (25 to 76 mm) of rain.

Disease/pest pressure: No major disease or pest issues have been reported.


Weather: Cool temperatures and scattered rainfall continue across parts of the northern durum region. Additional showers are forecast and should support crop development.

NORTHERN DURUM: WHEAT DATA								GRADE FACTORS								
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %	HVAC %
	Tested	Expected								lb/bu	kg/hl					
2025 Final	136	130	11.6	14.2	16.2	0.6	43.6	325	1 HAD	61.9	80.6	0.0	1.8	0.5	2.3	84
5-year Avg	127	123	11.2	14.2	16.2	0.9	40.9	427	1 HAD	61.3	79.8	0.0	0.4	0.8	1.2	86

Note: Crop progress data are drawn from USDA's weekly Crop Progress report and reflect the major producing states reported for each class. Northern durum averages in the weekly harvest report are simple averages and have not been weighted for production. Results shown represent tested samples collected to date. Data and commentary are on the following sampled states only: ND, MT. Table data source: North Dakota State University, Durum Wheat Quality Laboratory.

Table Abbreviations

- Protein = 12% Moisture Basis
- TKW = 1000 Kernel Weight
- FN = Falling Number
- FM = Foreign Material
- S&B = Shrunken and Broken
- n/a = not available

U.S. Wheat Growing Regions (for crop quality sampled states only)**Additional Resources:**

- [Resources \(California Wheat\)](#)
- [News \(Colorado Wheat\)](#)
- [News \(Idaho Wheat\)](#)
- [Harvest Reports \(Kansas Wheat\)](#)
- [News \(Maryland Grain Producers\)](#)
- [News \(South Dakota Wheat\)](#)
- [Harvest Updates \(Texas Wheat\)](#)
- [Weekly Wheat Update \(North Dakota Wheat Commission\)](#)
- [Harvest Reports \(Oklahoma Wheat\)](#)
- [News \(Ohio Corn & Wheat\)](#)
- [News \(Oregon Wheat\)](#)
- [News \(Washington Grains\)](#)
- [Harvest Reports \(Plains Grains\)](#)
- [Weekly Harvest Reports \(Wheat Marketing Center\)](#)