




2019 Final	261	300	12.9	9.3	10.6	0.4	31.6	285	3SRW	57.9	76.2	0.2	0.8	0.8	1.7
2018 Final	265	300	12.5	10.1	11.5	0.3	29.9	318	3 SRW	57.5	75.7	0.1	0.8	0.5	1.3

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

### Hard Red Spring

The HRS crop is progressing nicely with warm, dry weather accelerating crop maturation. Ninety-seven percent of the HRS crop is now headed out, near the 5-year average. Fifty-three percent of the crop has turned color, up from 15% last week. The HRS crop condition ratings are slightly down from last week with 73% rated good to excellent.

	WHEAT DATA								GRADE FACTORS							<input type="checkbox"/> Final
	Samples		Moisture %	Protein %	Dry Basis		TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %	DHV %
	Tested	Expected			Protein %	Dockage %				lb/bu	kg/hl					
This Week																
Last Week																
2018 Final	464	464	11.8	14.6	16.6	0.6	32.0	414	1 DNS	61.7	81.1	0.0	0.1	0.7	0.8	90

Results shown represent all samples collected through this and last week respectively.


**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

### Soft White

Hot, dry conditions are pushing the Pacific Northwest SW harvest forward. As of July 29, USDA estimates wheat harvest 33% complete in Oregon, 19% in Washington and 6% in Idaho.

The first 11 samples (from north central Oregon) arrived at the lab this week. The weighted average indicates good test weight at 61.1 lb/bu (80.3 kg/hl), low moisture content at 10.7%, low protein at 10.5% (12% mb), and sound falling number value at 315 sec. Due to the limited sample size caution should be used when analyzing this week's data.

Spring wheat harvest is 8% complete in Oregon and 2% in Washington.


	WHEAT DATA								GRADE FACTORS							<input type="checkbox"/> Final
	Samples		Moisture %	Protein %	Dry Basis		TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %	
	Tested	Expected			Protein %	Dockage %				lb/bu	kg/hl					
This Week	11	390	10.7	10.5		0.4	36.2	315	1 SW	61.1	80.3	0.0	0.0	0.3	0.4	
Last Week																
2018 Final	473	390	8.6	9.3	10.4	0.5	35.7	315	1 SW	61.7	81.2	0.0	0.0	0.5	0.6	

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

### Durum

The shares of the northern durum crop rated good to excellent are 65% in North Dakota and 76% in Montana. The crop is now 93% headed and 27% has started to turn color. Warm, dry weather is expected to accelerate crop maturation.

	WHEAT DATA								GRADE FACTORS							<input type="checkbox"/> Final
	Samples		Moisture	Protein	Dry Basis		TKW	FN	Grade	Test Weight		FM	Damage	S&B	Defects	HVAC
	Tested	Expected	%	%	Protein	Dockage	gm	sec		lb/bu	kg/hl					
This Week																
Last Week																
2018 Final	129	119	11.3	14.2	16.1	1.2	40.7	418	1 HAD	61.5	80.1	0.0	0.0	1.0	1.0	88.3

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.