



Arizona / California Combined Crop Analysis

2022 Desert Durum[®] Crop Quality Report

2022 Desert Durum® Crop Quality Report

Desert Durum®

Desert Durum® is a registered certification mark owned by the Arizona Grain Research and Promotion Council and the California Wheat Commission, which authorize the use of the mark only to designate durum grain produced under irrigation in the desert valleys and lowlands of Arizona and California.

Desert Durum® can be produced and delivered “identity preserved” to domestic and export markets, which allows customers to purchase grain of varieties possessing quality traits specific to their needs. Annual production requirements can be pre-contracted with grain merchandisers ahead of the fall-winter planting season for harvest in late May-early July. Varietal identity is maintained by experienced growers planting certified seed and merchandisers who store and ship according to customers’ preferred delivery schedules.

Desert Durum® production acreage in 2022 was higher than 2021. According to USDA, yields were 3.36 tons/acre, and quality was uniformly good. Based on our 2022 variety survey, Powell was the most widely grown variety in California. Desert King was the second most grown durum variety in California.

Desert Durum® samples were either collected by an FGIS-licensed inspection agency or submitted by handlers to a licensed agency. In 2022, the average grade is No. 1 Hard Amber Durum (HAD). Test weight average was 64.1 lbs/bu (83.4 kg/hl). The average vitreous kernel content (HVAC) is 97.5%, a high average typical of Desert Durum®. Average damaged kernels are 0% and total defects are 0.5%. Desert Durum® is characterized by its kernel low moisture content, and this year’s average was 7.3%. Protein content average was 13.2% (12% M.B.)

Desert Durum® quality performance is analyzed at the California Wheat Commission Laboratory. Extraction rates are calculated against total products on an “as is” moisture basis. A correction factor was used to adjust Lab Mill Extraction (%) and Semolina Extraction (%).



Summary

The semolina b* value was 30.9, slightly lower compared to 2021 b* value of 32.5. Wet gluten of 33.4% and gluten index of 62. Semolina Mixograph score was 7 and Alveograph W value was 180 (10⁻⁴ Joules). Mixograph score indicates high gluten strength. Pasta color b* value was 44 and score was 10. Pasta cooked firmness was 6.8, slightly lower compared to 2021 pasta firmness value of 7.2.

New crop grain exhibits consistently large kernels and low moisture traits that contribute to efficient transportation costs and high extraction rates. The 2022 Desert Durum crop will deliver the valuable milling, semolina, and pasta quality traits that customers have learned to expect and appreciate.

DESERT DURUM® PRODUCTION			
YEAR	METRIC TONS		
	Arizona	California	Total
2022	245,000	118,000	363,000*
2021	175,000	66,000	241,000
2020	129,500	36,898	166,398
2019	130,000	33,660	163,660
2018	136,984	43,090	180,074
2017	230,000	35,850	265,850
2016	313,600	66,908	380,508

*California Wheat Commission estimate; final data available December 2022 from USDA.



2022 Desert Durum® Crop Quality Report

2022 DESERT DURUM® VARIETIES

WHEAT	Alberto		Desert King		Miwok		Powell	
	2022	2021	2022	2021	2022	2021	2022	2021
Protein (12% MB)	13.6	14.6	13.0	13.0	13.9	13.1	13.6	
Ash (14% MB)	1.44	1.38	1.67	1.44	1.76	1.61	1.75	
Moisture	7.0	7.7	6.0	6.6	6.5	6.2	7.9	
Falling Number (sec)	624	459	593	476	479	828	523	
Micro Sedimentation (CC)	62	81	53	44	55	62	67	
Test Weight								
lb/bu	63.3	63.4	64.0	64.3	62.5	64.5	64.0	
kg/hl	82.4	82.5	83.3	83.8	81.4	84.0	83.3	
1000 Kernel Weight (g)	50.0	49.8	51.7	55.1	49.5	54.2	50.5	
Kernel Size Distribution								
Large/Medium/Small	95/5/0	97/3/0	96/4/0	97/3/0	94/6/0	98/2/0	95/5/0	
SEMOLINA								
Lab Mill Extraction (%)	76.5	80.8	78.5	81.5	79.2	80.1	78.1	
Semolina Extraction (%)	71.6	74.0	73.6	75.8	74.5	74.5	72.6	
Protein (14% MB)	12.5	13.5	11.8	11.6	12.7	11.9	12.1	
Ash (14% MB)	0.72	0.64	0.76	0.74	0.76	0.83	0.86	
Specks (no/10 sp in)	11	18	31	23	17	26	13	
Wet Gluten (14% MB)	34	38	33	32	39	34	36	
Gluten Index	74	75	40	38	50	54	67	
Color b*	35	37	28	27	26	32	32	
MIXOGRAPH								
Absorption (%)	62.3	63.9	61.4	61.1	62.7	61.9	61.8	
Peak Time (min)	2.6	2.4	2.8	2.1	2.3	2.3	2.6	
Peak Height (mu)	6.3	6.3	4.6	4.7	4.7	5.6	5.5	
MT Score (1-8)	8	7	6	4	5	7	7	
ALVEOGRAPH								
P (mm)	74	57	58	50	51	62	67	
L (mm)	133	145	78	59	100	105	107	
P/L Ratio	0.56	0.39	0.77	0.86	0.51	0.60	0.63	
W (10 ⁻⁴ Joules)	248	192	121	79	113	161	181	
PASTA								
Color L*	55	56	57	58	56	57	57	
Color b*	47	47	42	42	39	44	43	
Color Score	10.5	10.5	9.5	9.5	8.5	10.0	10.0	
Cooked Weight (gm)	29.3	31.2	29.5	30.0	30.6	30.1	31.2	
Cooking Loss (%)	6.9	6.2	6.3	6.7	5.4	6.2	5.9	
Cooked Firmness (g cm)	6.5	7.4	6.6	6.4	7.4	7.1	7.1	

Pasta and semolina color - Minolta Chromameter Model CR-200. Weather, soils, and cultural practices can influence the quality of all varieties between years and of particular lots of any one variety. Wheat and semolina protein - Leco Combustion Nitrogen Analyzer Model TruSpec. Extraction rates are calculated against total products on an "as is" moisture basis. A correction factor was used to adjust Lab Mill Extraction (%) and Semolina Extraction (%).

2022 Desert Durum® Crop Quality Report

2022 DESERT DURUM® VARIETIES

WHEAT	Tiburon		Westmore HP		WB Mohave
	2022	2021	2022	2021	2022
Protein (12% MB)	13.0	14.5	13.4	12.9	13.1
Ash (14% MB)	1.53	1.58	1.58	1.58	1.65
Moisture	7.1	7.0	9.1	6.9	6.7
Falling Number (sec)	571	464	909	531	860
Micro Sedimentation (CC)	68	79	60	73	66
Test Weight					
lb/bu	63.6	61.2	63.1	63.8	63.1
kg/hl	82.8	79.7	82.2	83.0	82.2
1000 Kernel Weight (g)	56.2	44.8	45.9	40.0	46.3
Kernel Size Distribution					
Large/Medium/Small	98/2/0	88/12/0	92/8/0	86/14/0	90/10/0
SEMOLINA					
Lab Mill Extraction (%)	78.6	77.9	81.7	77.9	79.9
Semolina Extraction (%)	73.1	73.4	74.6	73.1	71.4
Protein (14% MB)	11.6	13.6	12.2	11.7	12.2
Ash (14% MB)	0.78	0.61	0.77	0.75	0.83
Specks (no/10 sp in)	14	13	8	16	14
Wet Gluten (14% MB)	32	35	33	33	33
Gluten Index	80	73	78	75	79
Color b*	31	34	30	32	33
MIXOGRAPH					
Absorption (%)	61.0	64.0	62.0	61.1	61.4
Peak Time (min)	3.1	2.8	2.5	3.0	3.2
Peak Height (mu)	4.8	5.2	5.0	4.8	5.4
MT Score (1-8)	8	7	7	7	8
ALVEOGRAPH					
P (mm)	86	86	111	90	110
L (mm)	80	107	74	93	78
P/L Ratio	1.08	0.80	1.50	0.97	1.43
W (10 ⁻⁴ Joules)	222	272	261	235	282
PASTA					
Color L*	58	56	58	59	56
Color b*	45	44	45	45	46
Color Score	10.5	10.0	10.5	10.5	10.5
Cooked Weight (gm)	28.7	30.6	29.2	29.9	29.4
Cooking Loss (%)	6.6	5.5	6.4	6.4	6.1
Cooked Firmness (g cm)	6.6	7.2	6.5	6.5	7.3

Pasta and semolina color - Minolta Chromameter Model CR-200. Weather, soils, and cultural practices can influence the quality of all varieties between years and of particular lots of any one variety. Wheat and semolina protein - Leco Combustion Nitrogen Analyzer Model TruSpec. Extraction rates are calculated against total products on an "as is" moisture basis. A correction factor was used to adjust Lab Mill Extraction (%) and Semolina Extraction (%).

2022 Desert Durum® Crop Quality Report

2022 DESERT DURUM® AVERAGE GRADE RESULTS

	Harvest Data			Export Harvest Data		
	2022	2021	2020	21/22	20/21	19/20
Protein (12% MB)	13.2	14.0	14.6	13.9	13.9	13.6
Graded No. 1 (%)	Over 90% of samples graded No.1			100	100	100
HVAC (%)	97.5	98.7	98.6	85.7	83.4	96.0
Test Weight: lb/bu	64.1	63.9	62.3	61.5	61.3	62.5
kg/hl	83.4	83.2	81.1	80.1	79.8	81.4
Moisture (%)	7.3	7.5	6.9	7.5	7.8	6.9
Damage (%)	0	0	0.2	0.4	0.5	0.6
Foreign Material* (%)	0	0.1	0	0.1	0.1	0.1
Shrunken/Broken* (%)	0.4	0.5	0.4	0.7	0.7	0.6
Total Defects (%)	0.5	0.6	0.6	1.1	1.1	1.3
Dockage* (%)	0.2	0.2	0.4	0.5	0.5	0.4
Total Screenings (%)	0.6	0.8	0.8	1.3	1.3	1.0
Net Wheat (%)	92.1	91.8	92.4	91.3	91.0	92.1
CTW (%)	109.7	109.2	109.9	108.7	108.3	109.6
MWVI (%)	91.2	109.1	91.0	92.0	92.3	91.2

*Total Screenings are those factors represented on the grade certificate that are cleaned out in the flour mill. Samples were either official samples collected by a licensee of FGIS or submitted by handlers to a licensee for grading. Desert Durum® cargo data represents information obtained from official export inspection certificates. Test weight conversion from lb/bu to kg/hl according to FGIS-PN-97-5, (1.292 x lb/bu) + 0.630. Net Wheat = (100%-(FM+SHBN+Dockage)) x (100%-Moisture)/100%. Clean, Tempered Wheat (CTW%) = (100%-(FM+SHBN+Dockage)) x (100%-Moisture)/(100%-16% (temper moisture)). Millable Wheat Value Index (MWVI) = 100%/CTW.

2022 DESERT DURUM® AVERAGE GRADE RESULTS BY VARIETY

WHEAT	Alberto	Powell	Miwok	Tiburón	Westmore HP	WB Mohave	Desert King
Protein (12%mb)	13.7	13.0	13.0	13.1	13.8	13.4	13.0
Graded No. 1 (%)	Over 90% of samples graded No.1						
HVAC (%)	98.0	98.0	97.0	94.0	96.0	98.5	98.5
Moisture (%)	7.5	6.8	7.6	7.7	9.4	7.3	6.8
Test Weight: lb/bu	63.8	64.7	64.3	64.0	63.8	63.3	64.1
kg/hl	83.1	84.2	83.7	83.3	83.1	82.4	83.4
Damage (%)	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Foreign Material (%)	0.0	0.1	0.1	0.0	0.0	0.1	0.0
Shrunken/Broken (%)	0.4	0.4	0.4	0.4	0.4	0.4	0.6
Total Defects (%)	0.4	0.4	0.7	0.4	0.4	0.4	0.6
Dockage (%)	0.0	0.2	0.3	0.1	0.0	0.2	0.3

Samples were either official samples collected by a licensee of FGIS or submitted by handlers to a licensee for grading. Test weight conversions from lb/bu to kg/hl according to FGIS-PN97-5, (1.292 x lb/bu) + 0.630.

2022 Desert Durum® Crop Quality Report

Technical and Laboratory Services



CWC Executive Director Claudia Carter

The California Wheat Commission laboratory has the equipment necessary for evaluation of common and durum wheat milling quality, flour chemical analysis, physical dough testing, semolina analysis, bake and noodle production tests, and pasta analysis.

The Commission's staff is available to work with customers in the area of quality assurance, product development, problem solving, quality control training, and research. The lab order test form is available on the California Wheat Commission website, please use when requesting services.

Customer Assistance and Support

The Commission is available to answer technical questions about California's wheat quality, including recommendations for blending and appropriate end-use. The Commission conducts specialized training programs in milling, baking, semolina, pasta, and quality control. These specific programs may be customized to meet the customers' needs.

Crop and Export Survey

California produces five of the six classes of U.S. wheat: Hard Red Winter (HRW), Desert Durum®, Hard White, Soft White and Hard Red Spring. While HRW, Hard White, and Durum are the predominately produced and exported classes, information and contacts for all the above classes of wheat are available by contacting the Commission office. Every effort is made to provide an accurate assessment of quality to buyers. With greater amounts of wheat being sold by variety, varietal specific information is emphasized in Commission surveys.

Varietal Development

Private and public breeding programs play an important role in the development of new varieties available to California wheat producers. The Commission analyzes hundreds of samples each year to support these programs and encourages the release of new varieties that will meet the customers' needs. New varieties are evaluated by commercial mills through the California Wheat Collaborator program.

Research

The Commission laboratory is available for flour, semolina, milling, end-product, and new-product research. Technical expertise is available in hearth breads, pasta, Asian food products, standard loaf bread, steamed bread, Asian noodles, cookies, tortillas and Middle Eastern flat breads.



CWC Laboratory Manager Teng Vang

Photo credit: Matt Salvo, California Farm Bureau Federation



California Wheat Commission
1240 Commerce Avenue, Suite A
Woodland, CA 95776-5923

Phone: 530.661.1292
Fax: 530.661.1332
Web: californiawheat.org

Arizona Grain Research and Promotion Council
Arizona Department of Agriculture
1688 West Adams Street
Phoenix, AZ 85007

Phone: 602.542.3262
Fax: 602.364.0830